


TITLE _____

From Page No. 36

Ran protA on next P504 batch
Concentrated batch from p. 36
Stored all @ 4°C



To Page No. 37

Witnessed & Understood by me,

Date

Invented by

Recorded by

Date TUES

7/27/93

37

From Page No. 37

Concentrated next batch of purified protein
stored 4°C o/n

To Page No. 39

Witnessed & Understood by me,

Date

Invented by

Recorded by


Date WED

7/28/93

TITLE _____

From Page No. 38

Split all FUS cells
Determined Conc for FUS 9 purified samples



O.D. 562

To Page No. 4

Witnessed & Understood by me, _____

Date _____

Invented by _____

Date HURS

Recorded by Will Brown

7/29/93

From Page No. 37

BCA values: OD₅₆₂

| | | | |
|----------|---|-------|--------|
| Standard | 1 | 0.188 | (5µg) |
| | 2 | 0.377 | (10µg) |
| | 3 | 0.571 | (15µg) |
| | 4 | 0.713 | (20µg) |
| | 5 | 0.879 | (25µg) |

FUS 9.1 0.368 \cong 0.392 µg/ml

FUS 9.2 0.430 \cong 0.236 µg/ml

To Page No. 41

Witnessed & Understood by me,

Date

Invented by

Recorded by

Date THURS7/29/93

Project No. 1713
Book No. 18002

Exhibit I, pg. 5 of 6

TITLE _____

From Page No. 40

Checked all CHO plates
ordered P504

To Page No. 41

Witnessed & Understood by me,

Date

Invented by

Date FRI

Recorded by


Will Baron

7/30/93

42

From Page No. 41

Ran on SDS Page gel on spinnings 1+2 Fusion protein
(1 μ g & 5 μ g each reduced & non-reduced.)
Coomassie stained & photographed.



Protein appears intact.

Started next suspension run of Fusion cells
using 3×10^8 cells / liter of P504.
Harvested next batch of fusion prot. Ran prot A column
Eluted, desalted, stored 4°C .

To Page No. 43

Witnessed & Understood by me,

Date

Invented by

Recorded by

W. H. Bacon

Date MON

8/2/78